Product Information Sheet

Outer dimen-

sions without

separate con-

trol gear, light-

control

ing

Height

Width

Depth

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| sources | | | | |
|--|------------------------------|--|----------|--|
| Supplier's name or trade mark: | ULTRALUX | | | |
| Supplier's address: Boriana Ltd, Treti Mart 12, 5370 Dryanovo Gabrovo, BG | | | | |
| Model identifier: SPL4B72RC-PC | СВ | | | |
| Type of light source: | | | | |
| Lighting technology used: | LED | Non-directional or directional: | DLS | |
| Light source cap-type | Terminal block | | | |
| (or other electric interface) | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | |
| Colour-tuneable light source: | No | Envelope: | - | |
| High luminance light source: | No | | | |
| Anti-glare shield: | No | Dimmable: | Yes | |
| Product parameters | | | | |
| Parameter | Value | Parameter | Value | |
| General product parameters: | | | | |
| Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer | 64 | Energy efficiency class | D | |
| Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 8 000 in Wide cone (120°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 30006500 | |
| On-mode power (P _{on}), expressed in W | 64,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- | 80 | |

480

480

85

ues that can be set

tribution

Spectral power dis-

range 250 nm to 800

nm, at full-load


in

See image

in last page

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | |
|--|-------|--|----------------|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | |
| | | Chromaticity coordinates (x and y) | 0,379 0,376 | |
| Parameters for directional light sources: | | | | |
| Peak luminous intensity (cd) | 2 300 | Beam angle in degrees, or the range of beam angles that can be set | 120 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index value | 5 | Survival factor | 1,00 | |
| the lumen maintenance factor | 0,96 | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 04/09/2024.



EPREL registration number: 1984251 https://eprel.ec.europa.eu/qr/19

84251

Supplier: BORIANA LTD (Importer) Website: ULTRALUX.BG

Customer care service:

Name: Boriana Ltd Website: ultralux.bg

Email: sales@ultralux.bg Phone: +35967674433

Address: Treti Mart 12 5370 Dryanovo

Bulgaria