Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: ULTRALUX

Supplier's address: Boriana Ltd, Treti Mart 12, 5370 Dryanovo Gabrovo, BG

Model identifier: LC320CW

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	Wires				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

	Value	Parameter	Value			
General product parameters:						
nption in on- 00 h), rounded st integer	10	Energy efficiency class	F			
s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	1 000 in Sphere (360°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	6 500			
ver (P _{on}), ex-	10,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90			
Height	8	Spectral power dis-	See image			
Width Depth	1 000 3	tribution in the range 250 nm to 800 nm, at full-load	in last page			
	00 h), rounded st integer s flux (¢use), in- ers to the flux in , in a wide cone arrow cone (90º) ver (Pon), ex- tandby power expressed in W the second dec- Height Width	General product pnption in on- 00 h), rounded st integer10st integer1 000 in Sphere (360°)s flux (\$\phiuse\$), in- ers to the flux in , in a wide cone arrow cone (90°)1 000 in Sphere (360°)ver (\$P_{on}\$), ex- expressed in \$W\$10,0tandby power expressed in \$W\$- Sphere \$10,0Height8 WidthWidth1 000	General product parameters:mption in on- 00 h), rounded st integer10Energy efficiency classs flux (\$\$\phi\$use), in- ers to the flux in , in a wide cone prrow cone (90°)1 000 in Sphere (360°)Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be setver (P_on), ex-10,0Standby power (P_sb), expressed in W the second dec-tandby power expressed in W the second decColour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be setHeight8Spectral power dis- tribution in the range 250 nm to 800			

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,313		
		nates (x and y)	0,337		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	1	Survival factor	1,00		
the lumen maintenance factor	0,96				

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market.



EPREL registration number: 2280802

Supplier: BORIANA LTD (Manufacturer)

Customer care service:

Name: Boriana Ltd

Email: sales@ultralux.bg

Address:

Treti Mart 12 5370 Dryanovo Bulgaria https://eprel.ec.europa.eu/qr/22 80802

Website: ULTRALUX.BG

Website: <u>ultralux.bg</u> Phone: +35967674433